

PRODUCT FAMILY DATASHEET

LED DRIVER 1-10 V DIM OUTDOOR

PERFORMANCE

Constant voltage outdoor LED driver with 1-10 V dimming interface



AREAS OF APPLICATION

- Suitable for indoor and outdoor installations
- Facade and building illumination
- Ideal for illuminating public spaces
- Bathrooms, kitchens and outdoor areas
- Offices, shopping centers, hospitals, restaurants, hotels

PRODUCT BENEFITS

- Perfectly matched to 24 V LED flexible strips
- 5 years guarantee
- Very stable output power
- Quick and simple installation due to prewiring
- High efficiency and reliability
- Installation in very cold and hot environments

PRODUCT FEATURES

- Available in 20 W, 40 W, 60 W, 100 W, 150 W and 250 W
- Dimmable via 1...10 V dimming control
- Dimmable from 10...100 %
- Lifetime: up to 50,000 h (at max. tc temperature)
- Type of protection: IP66
- Operating temperature range at ta: -40...50 °C
- Supply voltage: 220...240 V
- Operating frequency: 50/60 Hz
- Surge protection: up to 6 kV (L-N), 6 kV (L/N-PE)
- Short-circuit and overload protection

TECHNICAL DATA

Electrical data

Product description	Input voltage AC	Mains frequency	Nominal output voltage	Nominal voltage	Device power loss	Power factor λ
DR DIM-PFM -20/220-240/24/P	198...264 V ¹⁾	50/60 Hz	24 V ²⁾	220...240 V	4.1 W ³⁾	0.90 ⁴⁾
DR DIM-PFM -40/220-240/24/P	198...264 V ¹⁾	50/60 Hz	24 V ²⁾	220...240 V	5.5 W ⁷⁾	0.93 ⁴⁾
DR DIM-PFM -60/220-240/24/P	198...264 V ¹⁾	50/60 Hz	24 V ²⁾	220...240 V	9.1 W ⁹⁾	0.95 ⁴⁾
DR DIM-PFM -100/220-240/24/P	198...264 V ¹⁾	50/60 Hz	24 V ²⁾	220...240 V	9.5 W ¹¹⁾	0.95 ⁴⁾
DR DIM-PFM -150/220-240/24/P	198...264 V ¹⁾	50/60 Hz	24 V ²⁾	220...240 V	13 W ¹³⁾	0.95 ⁴⁾
DR DIM-PFM -250/220-240/24/P	198...264 V ¹⁾	50/60 Hz	24 V ²⁾	220...240 V	23 W ¹⁵⁾	0.95 ⁴⁾

Product description	ECG efficiency	Inrush current	Max. ECG no. on circuit breaker 10 A (B)	Max. ECG no. on circuit breaker 16 A (B)	Max. ECG no. on circuit breaker 25 A (B)
DR DIM-PFM -20/220-240/24/P	85 % ⁵⁾	40 A ⁶⁾	14	18	29
DR DIM-PFM -40/220-240/24/P	88 % ⁵⁾	38 A ⁸⁾	15	19	30
DR DIM-PFM -60/220-240/24/P	87 % ⁵⁾	35 A ¹⁰⁾	17	21	33
DR DIM-PFM -100/220-240/24/P	91 % ⁵⁾	46 A ¹²⁾	13	16	25
DR DIM-PFM -150/220-240/24/P	92 % ⁵⁾	49 A ¹⁴⁾	10	15	24
DR DIM-PFM -250/220-240/24/P	91 % ⁵⁾	67 A ¹⁶⁾	6	10	16

Product description	Surge capability (L/N-Ground)	Surge capability (L-N)	U-OUT (working voltage)
DR DIM-PFM -20/220-240/24/P	6 kV	6 kV	24 V
DR DIM-PFM -40/220-240/24/P	6 kV	6 kV	24 V
DR DIM-PFM -60/220-240/24/P	6 kV	6 kV	24 V
DR DIM-PFM -100/220-240/24/P	6 kV	6 kV	24 V
DR DIM-PFM -150/220-240/24/P	6 kV	6 kV	24 V
DR DIM-PFM -250/220-240/24/P	6 kV	6 kV	24 V

¹⁾ Permitted voltage range

²⁾ Maximum 24 V

³⁾ At maximum LED load of 20 W

⁴⁾ Full load at 230 V

⁵⁾ At full load and 230 V

⁶⁾ $t_{\text{width}} = 5.4 \mu\text{s}$ (measured at 50 % I_{peak})

⁷⁾ At maximum LED load of 40 W

⁸⁾ $t_{\text{width}} = 5.6 \mu\text{s}$ (measured at 50 % I_{peak})

⁹⁾ At maximum LED load of 60 W

¹⁰⁾ $t_{\text{width}} = 4.6 \mu\text{s}$ (measured at 50 % I_{peak})

¹¹⁾ At maximum LED load of 100 W

¹²⁾ $t_{\text{width}} = 16.2 \mu\text{s}$ (measured at 50 % I_{peak})

¹³⁾ At maximum LED load of 150 W

¹⁴⁾ $t_{\text{width}} = 17.4 \mu\text{s}$ (measured at 50 % I_{peak})


¹⁵⁾ At maximum LED load of 250 W

¹⁶⁾ $t_{\text{width}} = 26.7 \mu\text{s}$ (measured at 50 % I_{peak})


Dimensions & weight

Product description	Length	Width	Height	Cable cross-section, input side	Cable cross-section, output side
DR DIM-PFM -20/220-240/24/P	166.0 mm	63.0 mm	38.0 mm	1.0 mm ²	1.0 mm ²
DR DIM-PFM -40/220-240/24/P	179.0 mm	63.0 mm	38.0 mm	1.0 mm ²	1.0 mm ²
DR DIM-PFM -60/220-240/24/P	179.0 mm	63.0 mm	38.0 mm	1.0 mm ²	1.0 mm ²
DR DIM-PFM -100/220-240/24/P	233.0 mm	74.0 mm	42.0 mm	1.0 mm ²	1.0 mm ²
DR DIM-PFM -150/220-240/24/P	233.0 mm	74.0 mm	42.0 mm	1.0 mm ²	1.5 mm ²
DR DIM-PFM -250/220-240/24/P	253.0 mm	74.0 mm	42.0 mm	1.0 mm ²	1.5 mm ²


Product line drawing




DR DIM-PFM -20/220-240/24/P




DR DIM-PFM -40/220-240/24/P




DR DIM-PFM -60/220-240/24/P



DR DIM-PFM -100/220-240/24/P



DR DIM-PFM -150/220-240/24/P



DR DIM-PFM -250/220-240/24/P

Colors & materials

Product description	Body material
DR DIM-PFM -20/220-240/24/P	Metal
DR DIM-PFM -40/220-240/24/P	Metal
DR DIM-PFM -60/220-240/24/P	Metal
DR DIM-PFM -100/220-240/24/P	Metal
DR DIM-PFM -150/220-240/24/P	Metal
DR DIM-PFM -250/220-240/24/P	Metal

Temperatures & operating conditions

Product description	Ambient temperature range	Permitted rel. humidity during operation	Maximum temperature at tc test point	Max.housing temperature in case of fault
DR DIM-PFM -20/220-240/24/P	-40...+50 °C	20...95 % ¹⁾	65 °C	
DR DIM-PFM -40/220-240/24/P	-40...+50 °C	20...95 % ¹⁾	75 °C	
DR DIM-PFM -60/220-240/24/P	-40...+50 °C	20...95 % ¹⁾	75 °C	
DR DIM-PFM -100/220-240/24/P	-40...+50 °C	20...95 % ¹⁾	70 °C	110 °C
DR DIM-PFM -150/220-240/24/P	-40...+50 °C	20...95 % ¹⁾	75 °C	110 °C
DR DIM-PFM -250/220-240/24/P	-40...+50 °C	20...95 % ¹⁾	85 °C	110 °C

¹⁾ Maximum 56 days/year at 95%

Lifespan

Product description	ECG lifetime
DR DIM-PFM -20/220-240/24/P	50000 h ¹⁾
DR DIM-PFM -40/220-240/24/P	50000 h ²⁾
DR DIM-PFM -60/220-240/24/P	50000 h ²⁾
DR DIM-PFM -100/220-240/24/P	50000 h ³⁾
DR DIM-PFM -150/220-240/24/P	50000 h ²⁾
DR DIM-PFM -250/220-240/24/P	50000 h ⁴⁾

¹⁾ At maximum $T_c = 65^\circ\text{C}$ / 10% failure rate

²⁾ At maximum $T_c = 75^\circ\text{C}$ / 10% failure rate

³⁾ At maximum $T_c = 70^\circ\text{C}$ / 10% failure rate

⁴⁾ At maximum $T_c = 85^\circ\text{C}$ / 10% failure rate

Additional product data

Product description	Encapsulated
DR DIM-PFM -20/220-240/24/P	Yes
DR DIM-PFM -40/220-240/24/P	Yes
DR DIM-PFM -60/220-240/24/P	Yes
DR DIM-PFM -100/220-240/24/P	Yes
DR DIM-PFM -150/220-240/24/P	Yes
DR DIM-PFM -250/220-240/24/P	Yes

Capabilities

Product description	Dimmable	Overheating protection	Overload protection	Max. cable length to lamp/LED module
DR DIM-PFM -20/220-240/24/P	Yes	No	No	10 m
DR DIM-PFM -40/220-240/24/P	Yes	No	No	10 m
DR DIM-PFM -60/220-240/24/P	Yes	No	No	10 m
DR DIM-PFM -100/220-240/24/P	Yes	Yes	No	10 m
DR DIM-PFM -150/220-240/24/P	Yes	Yes	No	10 m
DR DIM-PFM -250/220-240/24/P	Yes	Yes	No	10 m

Certificates & standards

Product description	Type of protection	Standards
DR DIM-PFM -20/220-240/24/P	IP66	Acc. to EN 61347-1/Acc. to EN 61347-2-13/Acc. to EN 55015/Acc. to EN 61547/Acc. to EN 61000-3-2/Acc. to EN 62384
DR DIM-PFM -40/220-240/24/P	IP66	Acc. to EN 61347-1/Acc. to EN 61347-2-13/Acc. to EN 55015/Acc. to EN 61547/Acc. to EN 61000-3-2/Acc. to EN 62384
DR DIM-PFM -60/220-240/24/P	IP66	Acc. to EN 61347-1/Acc. to EN 61347-2-13/Acc. to EN 55015/Acc. to EN 61547/Acc. to EN 61000-3-2/Acc. to EN 62384
DR DIM-PFM -100/220-240/24/P	IP66	Acc. to EN 61347-1/Acc. to EN 61347-2-13/Acc. to EN 55015/Acc. to EN 61547/Acc. to EN 61000-3-2/Acc. to EN 62384
DR DIM-PFM -150/220-240/24/P	IP66	Acc. to EN 61347-1/Acc. to EN 61347-2-13/Acc. to EN 55015/Acc. to EN 61547/Acc. to EN 61000-3-2/Acc. to EN 62384
DR DIM-PFM -250/220-240/24/P	IP66	Acc. to EN 61347-1/Acc. to EN 61347-2-13/Acc. to EN 55015/Acc. to EN 61547/Acc. to EN 61000-3-2/Acc. to EN 62384

APPLICATION ADVICE

For more detailed application information and graphics please see product datasheet.

SALES AND TECHNICAL SUPPORT

Sales and Technical Support www.ledvance.com

COUNTRY SPECIFIC INFORMATION

Product description	Product code	METEL-Code	SEG number	STK number	UK Org
DR DIM-PFM -20/220-240/24/P	4058075239951	-	7981929	4031400	-
DR DIM-PFM -40/220-240/24/P	4058075239999	-	7981930	4031401	-
DR DIM-PFM -60/220-240/24/P	4058075240018	-	7981931	4031402	-
DR DIM-PFM -100/220-240/24/P	4058075240070	-	7981932	4031403	-

DR DIM-PFM - 150/220-240/24/P	4058075240117	-	7981933	4031404	-
DR DIM-PFM - 250/220-240/24/P	4058075240155	-	7981934	4031405	-

DOWNLOAD DATA

File	
 User instruction LED DRIVER DIM PERFORMANCE CV OUTDOOR	
 Product Datasheet DR DIM-PFM-20220-24024P	
 Declarations of conformity EU Declaration of Conformity 3581723	
 Product Datasheet DR DIM-PFM-40220-24024P	
 Product Datasheet DR DIM-PFM-60220-24024P	
 Product Datasheet DR DIM-PFM-100220-24024P	
 Product Datasheet DR DIM-PFM-150220-24024P	
 Product Datasheet DR DIM-PFM-250220-24024P	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075239968	Shipping carton box 10	208 mm x 182 mm x 278 mm	7055.00 g	10.52 dm ³
4058075240001	Shipping carton box 10	208 mm x 182 mm x 278 mm	8005.00 g	10.52 dm ³
4058075240025	Shipping carton box 10	208 mm x 182 mm x 278 mm	8005.00 g	10.52 dm ³
4058075240087	Shipping carton box 10	267 mm x 242 mm x 303 mm	12888.00 g	19.58 dm ³
4058075240124	Shipping carton box 10	267 mm x 242 mm x 303 mm	12988.00 g	19.58 dm ³
4058075240162	Shipping carton box 10	287 mm x 242 mm x 303 mm	13534.00 g	21.04 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ACCESSORIES OPTIONAL

Product description	Accessory name	Accessory code
---------------------	----------------	----------------

DR DIM-PFM -20/220-240/24/P	LED STRIP PERFORMANCE-300, -300/827/5	▶ 4058075236394
DR DIM-PFM -20/220-240/24/P	LED STRIP PERFORMANCE-300, -300/830/5	▶ 4058075236431
DR DIM-PFM -20/220-240/24/P	LED STRIP PERFORMANCE-300, -300/840/5	▶ 4058075236530
DR DIM-PFM -20/220-240/24/P	LED STRIP PERFORMANCE-300, -300/865/5	▶ 4058075236592
DR DIM-PFM -20/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/827/5/IP66	▶ 4058075236639
DR DIM-PFM -20/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/830/5/IP66	▶ 4058075236677
DR DIM-PFM -20/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/840/5/IP66	▶ 4058075236813
DR DIM-PFM -20/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/865/5/IP66	▶ 4058075236714
DR DIM-PFM -20/220-240/24/P	LED STRIP VALUE-300, -300/827/5	▶ 4058075296077
DR DIM-PFM -20/220-240/24/P	LED STRIP VALUE-300, -300/830/5	▶ 4058075296107
DR DIM-PFM -20/220-240/24/P	LED STRIP VALUE-300, -300/840/5	▶ 4058075296138
DR DIM-PFM -20/220-240/24/P	LED STRIP VALUE-300, -300/865/5	▶ 4058075296169
DR DIM-PFM -20/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/827/5/IP65	▶ 4058075296190
DR DIM-PFM -20/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/830/5/IP65	▶ 4058075296220
DR DIM-PFM -20/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/840/5/IP65	▶ 4058075296251
DR DIM-PFM -20/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/865/5/IP65	▶ 4058075296282
DR DIM-PFM -40/220-240/24/P	LED STRIP SUPERIOR-500, -500/927/5	▶ 4058075237056
DR DIM-PFM -40/220-240/24/P	LED STRIP SUPERIOR-500, -500/930/5	▶ 4058075237070
DR DIM-PFM -40/220-240/24/P	LED STRIP SUPERIOR-500, -500/940/5	▶ 4058075237094
DR DIM-PFM -40/220-240/24/P	LED STRIP SUPERIOR-500, -500/965/5	▶ 4058075237117
DR DIM-PFM -40/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/927/5/IP67	▶ 4058075237278
DR DIM-PFM -40/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/930/5/IP67	▶ 4058075237292
DR DIM-PFM -40/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/940/5/IP67	▶ 4058075237339
DR DIM-PFM -40/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/960/5/IP67	▶ 4058075237353
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-300, -300/827/5	▶ 4058075236394
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-300, -300/830/5	▶ 4058075236431
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-300, -300/840/5	▶ 4058075236530
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-300, -300/865/5	▶ 4058075236592
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-600, -600/827/5	▶ 4058075236417
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-600, -600/830/5	▶ 4058075236455
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-600, -600/840/5	▶ 4058075236493
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-600, -600/865/5	▶ 4058075236554
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/827/5/IP66	▶ 4058075236639
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/830/5/IP66	▶ 4058075236677
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/840/5/IP66	▶ 4058075236813
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/865/5/IP66	▶ 4058075236714
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/827/5/IP66	▶ 4058075236950
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/830/5/IP66	▶ 4058075236974
DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/840/5/IP66	▶ 4058075236998

DR DIM-PFM -40/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/865/5/IP66	▶ 4058075237018
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-300, -300/827/5	▶ 4058075296077
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-300, -300/830/5	▶ 4058075296107
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-300, -300/840/5	▶ 4058075296138
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-300, -300/865/5	▶ 4058075296169
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/827/5/IP65	▶ 4058075296190
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/830/5/IP65	▶ 4058075296220
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/840/5/IP65	▶ 4058075296251
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/865/5/IP65	▶ 4058075296282
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-600, -600/827/5	▶ 4058075296671
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-600, -600/830/5	▶ 4058075296794
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-600, -600/840/5	▶ 4058075296947
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-600, -600/865/5	▶ 4058075297005
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/827/5/IP65	▶ 4058075296558
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/830/5/IP65	▶ 4058075296589
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/840/5/IP65	▶ 4058075296619
DR DIM-PFM -40/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/865/5/IP65	▶ 4058075296640
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-500, -500/927/5	▶ 4058075237056
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-500, -500/930/5	▶ 4058075237070
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-500, -500/940/5	▶ 4058075237094
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-500, -500/965/5	▶ 4058075237117
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-800, -800/927/5	▶ 4058075237193
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-800, -800/930/5	▶ 4058075237230
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-800, -800/940/5	▶ 4058075237254
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-800, -800/965/5	▶ 4058075237315
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/927/5/IP67	▶ 4058075237278
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/930/5/IP67	▶ 4058075237292
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/940/5/IP67	▶ 4058075237339
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/960/5/IP67	▶ 4058075237353
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/927/5/IP67	▶ 4058075237377
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/930/5/IP67	▶ 4058075237391
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/940/5/IP67	▶ 4058075237414
DR DIM-PFM -60/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/960/5/IP67	▶ 4058075237438
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-300, -300/827/5	▶ 4058075236394
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-300, -300/830/5	▶ 4058075236431
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-300, -300/840/5	▶ 4058075236530
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-300, -300/865/5	▶ 4058075236592
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-600, -600/827/5	▶ 4058075236417
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-600, -600/830/5	▶ 4058075236455

DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-600, -600/840/5	▶ 4058075236493
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-600, -600/865/5	▶ 4058075236554
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/827/5	▶ 4058075235977
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/830/5	▶ 4058075235991
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/840/5	▶ 4058075236011
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/865/5	▶ 4058075236035
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/827/5	▶ 4058075236158
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/830/5	▶ 4058075236233
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/840/5	▶ 4058075236257
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/865/5	▶ 4058075236271
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/827/5/IP66	▶ 4058075236639
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/830/5/IP66	▶ 4058075236677
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/840/5/IP66	▶ 4058075236813
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/865/5/IP66	▶ 4058075236714
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/827/5/IP66	▶ 4058075236950
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/830/5/IP66	▶ 4058075236974
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/840/5/IP66	▶ 4058075236998
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/865/5/IP66	▶ 4058075237018
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/827/5/IP66	▶ 4058075236059
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/840/5/IP66	▶ 4058075236097
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/830/5/IP66	▶ 4058075236073
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/865/5/IP66	▶ 4058075236110
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/827/5/IP66	▶ 4058075236318
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/830/5/IP66	▶ 4058075236332
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/840/5/IP66	▶ 4058075236356
DR DIM-PFM -60/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/865/5/IP66	▶ 4058075236370
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-300, -300/827/5	▶ 4058075296077
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-300, -300/830/5	▶ 4058075296107
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-300, -300/840/5	▶ 4058075296138
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-300, -300/865/5	▶ 4058075296169
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/827/5/IP65	▶ 4058075296190
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/830/5/IP65	▶ 4058075296220
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/840/5/IP65	▶ 4058075296251
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/865/5/IP65	▶ 4058075296282
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-600, -600/827/5	▶ 4058075296671
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-600, -600/830/5	▶ 4058075296794
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-600, -600/840/5	▶ 4058075296947
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-600, -600/865/5	▶ 4058075297005
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1000, -1000/865/5	▶ 4058075296404

DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/827/5/IP65	▶ 4058075296435
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/830/5/IP65	▶ 4058075296466
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/827/5/IP65	▶ 4058075296558
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/830/5/IP65	▶ 4058075296589
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/840/5/IP65	▶ 4058075296619
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/865/5/IP65	▶ 4058075296640
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1000, -1000/827/5	▶ 4058075296312
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1000, -1000/830/5	▶ 4058075296343
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1000, -1000/840/5	▶ 4058075296374
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/840/5/IP65	▶ 4058075296497
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/865/5/IP65	▶ 4058075296527
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/827/5/IP65	▶ 4058075296701
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/830/5/IP65	▶ 4058075296732
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/840/5/IP65	▶ 4058075296763
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/865/5/IP65	▶ 4058075296824
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1400, -1400/827/5	▶ 4058075296855
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1400, -1400/830/5	▶ 4058075296886
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1400, -1400/840/5	▶ 4058075296916
DR DIM-PFM -60/220-240/24/P	LED STRIP VALUE-1400, -1400/865/5	▶ 4058075296978
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-500, -500/927/5	▶ 4058075237056
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-500, -500/930/5	▶ 4058075237070
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-500, -500/940/5	▶ 4058075237094
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-500, -500/965/5	▶ 4058075237117
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-800, -800/927/5	▶ 4058075237193
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-800, -800/930/5	▶ 4058075237230
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-800, -800/940/5	▶ 4058075237254
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-800, -800/965/5	▶ 4058075237315
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/927/5	▶ 4058075236653
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/930/5	▶ 4058075236691
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/940/5	▶ 4058075236738
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/965/5	▶ 4058075236752
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/927/3.5	▶ 4058075236776
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/930/3.5	▶ 4058075236899
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/940/3.5	▶ 4058075236912
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/965/3.5	▶ 4058075236936
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/927/5/IP67	▶ 4058075237278
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/930/5/IP67	▶ 4058075237292
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/940/5/IP67	▶ 4058075237339
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/960/5/IP67	▶ 4058075237353

DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/927/5/IP67	▶ 4058075237377
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/930/5/IP67	▶ 4058075237391
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/940/5/IP67	▶ 4058075237414
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/960/5/IP67	▶ 4058075237438
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/927/5/IP67	▶ 4058075236790
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/930/5/IP67	▶ 4058075236837
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/940/5/IP67	▶ 4058075236851
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/960/5/IP67	▶ 4058075236875
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/927/3.5/IP67	▶ 4058075237131
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/930/3.5/IP67	▶ 4058075237155
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/940/3.5/IP67	▶ 4058075237179
DR DIM-PFM -100/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/960/3.5/IP67	▶ 4058075237216
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-300, -300/827/5	▶ 4058075236394
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-300, -300/830/5	▶ 4058075236431
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-300, -300/840/5	▶ 4058075236530
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-300, -300/865/5	▶ 4058075236592
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-600, -600/827/5	▶ 4058075236417
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-600, -600/830/5	▶ 4058075236455
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-600, -600/840/5	▶ 4058075236493
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-600, -600/865/5	▶ 4058075236554
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/827/5	▶ 4058075235977
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/830/5	▶ 4058075235991
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/840/5	▶ 4058075236011
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/865/5	▶ 4058075236035
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/827/5	▶ 4058075236158
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/830/5	▶ 4058075236233
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/840/5	▶ 4058075236257
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/865/5	▶ 4058075236271
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/827/5	▶ 4058075236134
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/830/5	▶ 4058075236172
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-300, -300/827/5	▶ 4058075296077
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-300, -300/830/5	▶ 4058075296107
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-300, -300/840/5	▶ 4058075296138
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-300, -300/865/5	▶ 4058075296169
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/827/5/IP65	▶ 4058075296190
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/830/5/IP65	▶ 4058075296220
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/840/5/IP65	▶ 4058075296251
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/865/5/IP65	▶ 4058075296282
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-600, -600/827/5	▶ 4058075296671

DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-600, -600/830/5	▶	4058075296794
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-600, -600/840/5	▶	4058075296947
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-600, -600/865/5	▶	4058075297005
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1000, -1000/865/5	▶	4058075296404
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/827/5/IP65	▶	4058075296435
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/830/5/IP65	▶	4058075296466
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/827/5/IP65	▶	4058075296558
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/830/5/IP65	▶	4058075296589
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/840/5/IP65	▶	4058075296619
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/865/5/IP65	▶	4058075296640
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1000, -1000/827/5	▶	4058075296312
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1000, -1000/830/5	▶	4058075296343
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1000, -1000/840/5	▶	4058075296374
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/840/5/IP65	▶	4058075296497
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/865/5/IP65	▶	4058075296527
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/827/5/IP65	▶	4058075296701
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/830/5/IP65	▶	4058075296732
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/840/5/IP65	▶	4058075296763
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/865/5/IP65	▶	4058075296824
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1400, -1400/827/5	▶	4058075296855
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1400, -1400/830/5	▶	4058075296886
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1400, -1400/840/5	▶	4058075296916
DR DIM-PFM -100/220-240/24/P	LED STRIP VALUE-1400, -1400/865/5	▶	4058075296978
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/840/5	▶	4058075236196
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/865/5	▶	4058075236219
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/827/5/IP66	▶	4058075236639
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/830/5/IP66	▶	4058075236677
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/840/5/IP66	▶	4058075236813
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/865/5/IP66	▶	4058075236714
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/827/5/IP66	▶	4058075236950
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/830/5/IP66	▶	4058075236974
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/840/5/IP66	▶	4058075236998
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/865/5/IP66	▶	4058075237018
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/827/5/IP66	▶	4058075236059
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/840/5/IP66	▶	4058075236097
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/830/5/IP66	▶	4058075236073
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/865/5/IP66	▶	4058075236110
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/827/5/IP66	▶	4058075236318
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/830/5/IP66	▶	4058075236332

DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/840/5/IP66	▶ 4058075236356
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/865/5/IP66	▶ 4058075236370
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/827/5/IP66	▶ 4058075236479
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/830/5/IP66	▶ 4058075236516
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/840/5/IP66	▶ 4058075236578
DR DIM-PFM -100/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/865/5/IP66	▶ 4058075236615
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-500, -500/927/5	▶ 4058075237056
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-500, -500/930/5	▶ 4058075237070
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-500, -500/940/5	▶ 4058075237094
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-500, -500/965/5	▶ 4058075237117
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-800, -800/927/5	▶ 4058075237193
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-800, -800/930/5	▶ 4058075237230
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-800, -800/940/5	▶ 4058075237254
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-800, -800/965/5	▶ 4058075237315
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/927/5	▶ 4058075236653
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/930/5	▶ 4058075236691
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/940/5	▶ 4058075236738
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/965/5	▶ 4058075236752
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/927/3.5	▶ 4058075236776
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/930/3.5	▶ 4058075236899
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/940/3.5	▶ 4058075236912
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/965/3.5	▶ 4058075236936
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/927/5/IP67	▶ 4058075237278
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/930/5/IP67	▶ 4058075237292
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/940/5/IP67	▶ 4058075237339
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/960/5/IP67	▶ 4058075237353
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/927/5/IP67	▶ 4058075237377
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/930/5/IP67	▶ 4058075237391
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/940/5/IP67	▶ 4058075237414
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/960/5/IP67	▶ 4058075237438
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/927/5/IP67	▶ 4058075236790
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/930/5/IP67	▶ 4058075236837
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/940/5/IP67	▶ 4058075236851
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/960/5/IP67	▶ 4058075236875
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/927/3.5/IP67	▶ 4058075237131
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/930/3.5/IP67	▶ 4058075237155
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/940/3.5/IP67	▶ 4058075237179
DR DIM-PFM -150/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/960/3.5/IP67	▶ 4058075237216
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-300, -300/827/5	▶ 4058075236394

DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-300, -300/830/5	▶ 4058075236431
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-300, -300/840/5	▶ 4058075236530
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-300, -300/865/5	▶ 4058075236592
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-600, -600/827/5	▶ 4058075236417
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-600, -600/830/5	▶ 4058075236455
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-600, -600/840/5	▶ 4058075236493
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-600, -600/865/5	▶ 4058075236554
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/827/5	▶ 4058075235977
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/830/5	▶ 4058075235991
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/840/5	▶ 4058075236011
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/865/5	▶ 4058075236035
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/827/5	▶ 4058075236158
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/830/5	▶ 4058075236233
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/840/5	▶ 4058075236257
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/865/5	▶ 4058075236271
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/827/5	▶ 4058075236134
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/830/5	▶ 4058075236172
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-300, -300/827/5	▶ 4058075296077
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-300, -300/830/5	▶ 4058075296107
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-300, -300/840/5	▶ 4058075296138
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-300, -300/865/5	▶ 4058075296169
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/827/5/IP65	▶ 4058075296190
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/830/5/IP65	▶ 4058075296220
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/840/5/IP65	▶ 4058075296251
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/865/5/IP65	▶ 4058075296282
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-600, -600/827/5	▶ 4058075296671
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-600, -600/830/5	▶ 4058075296794
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-600, -600/840/5	▶ 4058075296947
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-600, -600/865/5	▶ 4058075297005
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1000, -1000/865/5	▶ 4058075296404
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/827/5/IP65	▶ 4058075296435
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/830/5/IP65	▶ 4058075296466
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/827/5/IP65	▶ 4058075296558
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/830/5/IP65	▶ 4058075296589
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/840/5/IP65	▶ 4058075296619
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/865/5/IP65	▶ 4058075296640
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1000, -1000/827/5	▶ 4058075296312
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1000, -1000/830/5	▶ 4058075296343
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1000, -1000/840/5	▶ 4058075296374

DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/840/5/IP65	▶ 4058075296497
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/865/5/IP65	▶ 4058075296527
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/827/5/IP65	▶ 4058075296701
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/830/5/IP65	▶ 4058075296732
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/840/5/IP65	▶ 4058075296763
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/865/5/IP65	▶ 4058075296824
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1400, -1400/827/5	▶ 4058075296855
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1400, -1400/830/5	▶ 4058075296886
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1400, -1400/840/5	▶ 4058075296916
DR DIM-PFM -150/220-240/24/P	LED STRIP VALUE-1400, -1400/865/5	▶ 4058075296978
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/840/5	▶ 4058075236196
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/865/5	▶ 4058075236219
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/827/5/IP66	▶ 4058075236639
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/830/5/IP66	▶ 4058075236677
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/840/5/IP66	▶ 4058075236813
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/865/5/IP66	▶ 4058075236714
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/827/5/IP66	▶ 4058075236950
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/830/5/IP66	▶ 4058075236974
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/840/5/IP66	▶ 4058075236998
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/865/5/IP66	▶ 4058075237018
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/827/5/IP66	▶ 4058075236059
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/840/5/IP66	▶ 4058075236097
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/830/5/IP66	▶ 4058075236073
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/865/5/IP66	▶ 4058075236110
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/827/5/IP66	▶ 4058075236318
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/830/5/IP66	▶ 4058075236332
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/840/5/IP66	▶ 4058075236356
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/865/5/IP66	▶ 4058075236370
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/827/5/IP66	▶ 4058075236479
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/830/5/IP66	▶ 4058075236516
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/840/5/IP66	▶ 4058075236578
DR DIM-PFM -150/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/865/5/IP66	▶ 4058075236615
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-500, -500/927/5	▶ 4058075237056
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-500, -500/930/5	▶ 4058075237070
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-500, -500/940/5	▶ 4058075237094
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-500, -500/965/5	▶ 4058075237117
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-800, -800/927/5	▶ 4058075237193
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-800, -800/930/5	▶ 4058075237230
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-800, -800/940/5	▶ 4058075237254

DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-800, -800/965/5	▶	4058075237315
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/927/5	▶	4058075236653
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/930/5	▶	4058075236691
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/940/5	▶	4058075236738
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-1200, -1200/965/5	▶	4058075236752
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/927/3.5	▶	4058075236776
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/930/3.5	▶	4058075236899
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/940/3.5	▶	4058075236912
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-2000, -2000/965/3.5	▶	4058075236936
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/927/5/IP67	▶	4058075237278
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/930/5/IP67	▶	4058075237292
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/940/5/IP67	▶	4058075237339
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-500 PROTECTED, -500/960/5/IP67	▶	4058075237353
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/927/5/IP67	▶	4058075237377
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/930/5/IP67	▶	4058075237391
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/940/5/IP67	▶	4058075237414
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-800 PROTECTED, -800/960/5/IP67	▶	4058075237438
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/927/5/IP67	▶	4058075236790
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/930/5/IP67	▶	4058075236837
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/940/5/IP67	▶	4058075236851
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-1200 PROTECTED, -1200/960/5/IP67	▶	4058075236875
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/927/3.5/IP67	▶	4058075237131
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/930/3.5/IP67	▶	4058075237155
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/940/3.5/IP67	▶	4058075237179
DR DIM-PFM -250/220-240/24/P	LED STRIP SUPERIOR-2000 PROTECTED, -2000/960/3.5/IP67	▶	4058075237216
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-300, -300/827/5	▶	4058075236394
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-300, -300/830/5	▶	4058075236431
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-300, -300/840/5	▶	4058075236530
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-300, -300/865/5	▶	4058075236592
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-600, -600/827/5	▶	4058075236417
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-600, -600/830/5	▶	4058075236455
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-600, -600/840/5	▶	4058075236493
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-600, -600/865/5	▶	4058075236554
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/827/5	▶	4058075235977
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/830/5	▶	4058075235991
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/840/5	▶	4058075236011
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1000, -1000/865/5	▶	4058075236035
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/827/5	▶	4058075236158
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/830/5	▶	4058075236233

DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/840/5	▶ 4058075236257
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1500, -1500/865/5	▶ 4058075236271
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/827/5	▶ 4058075236134
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/830/5	▶ 4058075236172
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/827/5/IP66	▶ 4058075236639
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/830/5/IP66	▶ 4058075236677
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/840/5/IP66	▶ 4058075236813
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-300 PROTECTED, -300/865/5/IP66	▶ 4058075236714
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/827/5/IP66	▶ 4058075236950
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/830/5/IP66	▶ 4058075236974
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/840/5/IP66	▶ 4058075236998
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-600 PROTECTED, -600/865/5/IP66	▶ 4058075237018
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/827/5/IP66	▶ 4058075236059
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/840/5/IP66	▶ 4058075236097
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/830/5/IP66	▶ 4058075236073
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1000 PROTECTED, -1000/865/5/IP66	▶ 4058075236110
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/827/5/IP66	▶ 4058075236318
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/830/5/IP66	▶ 4058075236332
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/840/5/IP66	▶ 4058075236356
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-1500 PROTECTED, -1500/865/5/IP66	▶ 4058075236370
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/827/5/IP66	▶ 4058075236479
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/830/5/IP66	▶ 4058075236516
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-300, -300/827/5	▶ 4058075296077
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-300, -300/830/5	▶ 4058075296107
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-300, -300/840/5	▶ 4058075296138
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-300, -300/865/5	▶ 4058075296169
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/827/5/IP65	▶ 4058075296190
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/830/5/IP65	▶ 4058075296220
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/840/5/IP65	▶ 4058075296251
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-300 PROTECTED, -300/865/5/IP65	▶ 4058075296282
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-600, -600/827/5	▶ 4058075296671
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-600, -600/830/5	▶ 4058075296794
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-600, -600/840/5	▶ 4058075296947
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-600, -600/865/5	▶ 4058075297005
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1000, -1000/865/5	▶ 4058075296404
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/827/5/IP65	▶ 4058075296435
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/830/5/IP65	▶ 4058075296466
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/827/5/IP65	▶ 4058075296558
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/830/5/IP65	▶ 4058075296589

DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/840/5/IP65	▶ 4058075296619
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-600 PROTECTED, -600/865/5/IP65	▶ 4058075296640
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1000, -1000/827/5	▶ 4058075296312
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1000, -1000/830/5	▶ 4058075296343
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1000, -1000/840/5	▶ 4058075296374
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/840/5/IP65	▶ 4058075296497
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1000 PROTECTED, -1000/865/5/IP65	▶ 4058075296527
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/827/5/IP65	▶ 4058075296701
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/830/5/IP65	▶ 4058075296732
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/840/5/IP65	▶ 4058075296763
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1400 PROTECTED, -1400/865/5/IP65	▶ 4058075296824
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1400, -1400/827/5	▶ 4058075296855
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1400, -1400/830/5	▶ 4058075296886
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1400, -1400/840/5	▶ 4058075296916
DR DIM-PFM -250/220-240/24/P	LED STRIP VALUE-1400, -1400/865/5	▶ 4058075296978
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/840/5	▶ 4058075236196
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-2000, -2000/865/5	▶ 4058075236219
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/840/5/IP66	▶ 4058075236578
DR DIM-PFM -250/220-240/24/P	LED STRIP PERFORMANCE-2000 PROTECTED, -2000/865/5/IP66	▶ 4058075236615

REFERENCES / LINKS

For Guarantee see

▶ www.ledvance.com/guarantee

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.